

# Fall Lawn Renovation Program for 2016 “Near Perfect” Lawn

(When less than 20% of your lawn consists of weeds)

**Week One:** Do not mow lawn this week. Determine if the weeds in your lawn are broadleaf weeds, grassy weeds, or Nut sedge. If the weeds are broadleaf, apply Monterey Spurge Power, [Speedzone](#) or [Bonide WeedBeater Ultra](#) , if the weeds are Crabgrass or Foxtail, apply [Bonide crabgrass killer](#) ( if you apply crabgrass killer wait 4 weeks to seed )if the weeds are Nutsedge, apply [Sedgehammer+](#) . For Goosegrass, Nimbelwill, or Bentgrass treat them with [Tenacity weed killer](#). Depending on your conditions, you may have to apply all three. Be sure to use a **Spreader Sticker if directed**, this will ensure that the chemicals stay on the leaves of the weeds and do not run off.

**Two weeks later :** Mow lawn to a height of 2”, bagging the clippings. Using a De-thatching rake or power rake. Rake through the entire lawn to dig out the thatch layer, this will allow more moisture to get to the grass plants and reduce the potential for disease next year.

Apply [Turf Trust Lawn Fertilizer](#). This product contains *Crotonylidene Diurea*. This nitrogen form will give your lawn a healthy and important feeding throughout the winter. The most important feedings for the grass plant are the early fall and the late fall feedings, which happens just before the lawn goes dormant. The energy is stored by the plants in the roots and crown, in the form of carbohydrates.

Apply [Dimension](#) pre-emergent herbicide in late August to prevent the germination of annual bluegrass (*Poa annua*), Henbit, and Chickweed. Annual bluegrass is frequently seen in a lawn in the springtime and is characterized by a lime green leaf and prolific seed heads. **You cannot seed after applying Dimension or Gallery!**

***If some seeding is necessary, refer to the following directions.***

All bare spots should be raked out with a hard tine rake. This will remove the dead material and open up the soil to a depth of 1/4”. We recommend that bare spots be seeded with [Water saver with RTF grass seed or for shade areas use the Roozens shady grass mixture](#) . The grass seed should be covered with a thin layer of **Leafgro or Sphagnum Peatmoss**. The **Leafgro/Peatmoss** will protect the grass seed from washing away, while supplying young seedlings with a nutritious environment in which to grow. Apply **Turf Trust** at this time as well. Water the patched areas for a period of 10 to 14 days.

3-5 days after seeding apply kick start to aid in seed germination. One week after seed germinates apply [Kick Start](#) again.

**Note: Always refer to product labels for specific use directions, precautions, and limitations before using products.**